

REMARKS

Sheets 7 and 9 of the formal drawings filed August 31, 2004 have been amended to correct certain errors therein. Sheet 7 has been amended, as marked in red, to change the figure number from "FIG 6A" to "FIG 6B." FIG. 8 has been amended, as marked in red, to remove the four symbols found in display 13 and to insert in place thereof four exemplary measured parameters for O₂, CO₂, pH and CO. The four numbers inserted in display 13 are each within the physiological range that one would expect for these parameters and are not intended to have any significance other than to show that display 13 is utilized for displaying such parameters, as disclosed in the specification commencing on Page 16, line 1. Accordingly, no new matter has been added by the correction of Sheets 7 and 9 of the formal drawings.

Corrected Sheets 7 and 9 are being submitted herewith in the enclosed Submission of Formal Drawings to the Official Draftsperson.

Respectfully submitted,

DORSEY & WHITNEY LLP



Edward N. Bachand
Reg. No. 37,085

Customer No. 32,940
DORSEY & WHITNEY LLP
Dorsey & Whitney LLP
555 California Street, Suite 1000
San Francisco, CA 94104-1513
Telephone No.: (650) 857-1717
Facsimile No.: (650) 857-1288
4817-7005-5168\1




FIG. 6 ~~6B~~



9/11




FIG. 8